

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	10/76844	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 07:30
S2	1	10/676844	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:36
S3	1	10/676374	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:37
S4	1	10/676364	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:42
S5	1	10/676824	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:58
S6	1	10/208210	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:48
S7	4	10/335191	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:53
S8	1	10/676824	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 16:54

EAST Search History

S10	0	S9 and ((reusable near component) near (visual adj representation) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:17
S11	0	S9 and ((reusable near component) near (visual near representation) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S12	0	S9 and ((reusable near component) with (visual near representation) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S13	0	S9 and ((reusable near component) with (visual near representation) with (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S14	0	S9 and ((reusable near component) with (visual near representation) with (program\$5 with interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S15	0	S9 and ((reusable near component) with (visual near representation) with (program\$5 with interface) with programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S16	0	S9 and ((reusable near component) with (visual near representation) with (program\$5 with interface) with programming with (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11
S17	0	S9 and ((reusable near component) with (visual near representation) with (program\$5 with interface) with programming with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:11

EAST Search History

S18	1	S9 and ((reusable near component) same (visual near representation) with (program\$5 with interface) with programming with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:28
S19	1	S9 and ((reusable near component) same (visual near representation) same (program\$5 with interface) with programming with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:12
S20	1	S9 and ((reusable near component) same (visual near representation) same (program\$5 with interface) with programming with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:12
S21	1	S9 and ((reusable near component) same (visual near representation) same (program\$5 near interface) same programming with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:12
S22	1	S9 and ((reusable near component) same (visual near representation) same (program\$5 near interface) with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:12
S23	1	S9 and ((reusable near component) same (visual near representation) same (program\$5 near interface) same (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:14
S25	1	S9 and ((reusable near component) same (visual near representation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:13
S26	1	S9 and ((reusable near component) same (program\$5 near interface) same (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:14

EAST Search History

S27	1	S9 and ((reusable near component) same (program\$5 near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:14
S28	1	S9 and ((reusable near component) same (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:14
S29	7	S9 and(reusable near component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:12
S30	0	S9 and ((reusable near component) near (visual adj interface) near (program\$5 near interface) near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:16
S31	0	S9 and ((reusable near component) with(visual adj interface) near (program\$5 near interface) near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:16
S32	0	S9 and ((reusable near component) same (visual adj interface) near (program\$5 near interface) near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:17
S33	0	S9 and ((reusable near component) same (visual near interface) near (program\$5 near interface) near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:17
S34	0	S9 and ((reusable near component) near (visual adj interface) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:17

EAST Search History

S35	0	S9 and ((reusable near component) with (visual adj interface) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S36	0	S9 and ((visual adj interface) near (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S37	1	S9 and ((visual adj interface) with (program\$5 near interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S38	0	S9 and ((visual adj interface) with (program\$5 with interface) near programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S39	1	S9 and ((visual adj interface) with (program\$5 with interface) with programming near (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S40	1	S9 and ((visual adj interface) with (program\$5 with interface) with programming with (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S41	1	S9 and ((visual adj interface) with (program\$5 with interface) with (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18
S42	1	S9 and ((visual adj interface) same (program\$5 with interface) with (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:18

EAST Search History

S43	1	S9 and ((visual adj interface) same (program\$5 same interface) with (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:19
S44	1	S9 and ((visual adj interface) same (program\$5 same interface) same (data adj binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:19
S45	2	"6053947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:24
S46	2	"5398336".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:24
S47	151	"software component architecture"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:49
S48	141	S47 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:26
S49	117	S48 and develop\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:26
S50	2	"5457797".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 08:54

EAST Search History

S51	2	"6263498".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:12
S52	3491	(719/310,313-316,331,332).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:18
S53	44	S52 and (reusable adj component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:42
S54	5	S52 and ((reusable adj component) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:29
S55	607	(717/100).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:44
S56	579	(715/804,805).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:09
S57	10760	(717/100-167).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 09:45
S58	38	S57 and (application with (reusable adj component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:01

EAST Search History

S59	2	"6006264".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:01
S60	0	structur\$5 near application\$3 near (reusable adj component) with ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:23
S61	0	structur\$5 near application\$3 near (reusable adj component) same ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:24
S62	0	(structur\$5 design implement\$3 creat\$3) near application\$3 near (reusable adj component) same ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:25
S63	0	(structur\$5 design implement\$3 creat\$3 generate\$3) near application\$3 near (reusable adj component) same ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:25
S64	0	(structur\$5 design implement\$3 creat\$3 generate\$3 compos\$5) near application\$3 near (reusable adj component) same ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26
S65	0	(reusable adj component) same ((visual\$5 graphic\$5) near (program application) near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26
S66	0	(reusable adj component) same ((visual\$5 graphic\$5) near interface near (program application) near interface near (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:26

EAST Search History

S67	0	(reusable adj component) same ((visual\$5 graphic\$5) near interface same (program application) near interface same (data adj binding) near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:27
S68	0	(reusable adj component) same (visual\$5 graphic\$5) near (interface representation wrapper) same (program application) near interface same (data adj binding) near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:28
S69	4	(reusable near component) same ((visual graphic\$5) near (representation interface)) with (program\$5 with interface) with (data near binding near interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:35
S71	4	(reusable near component) same ((visual graphic\$5) near (representation interface)) with ((program\$5 with interface) api) with ((data near binding) binding) near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 16:16
S72	2	"6732331".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:35
S73	0	("2005/0138057").URPN.	USPAT	OR	ON	2007/02/20 10:37
S74	0	("5003/0069908").URPN.	USPAT	OR	ON	2007/02/20 10:37
S75	6	("2003/0069908").URPN.	USPAT	OR	ON	2007/02/20 10:38
S76	0	(2003/0069908).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 10:38
S77	2	("20030069908").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 10:39

EAST Search History

S78	2	"6360223".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:40
S79	2	("20050065951").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 10:42
S80	2	("6952620").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 10:42
S81	2	("6859821").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 10:43
S82	4	(reusable near component) same ((visual graphic\$5) near (representation interface)) with ((program\$5 with interface) api) with (((data near binding) bind\$5) near interface) data adj communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 10:47
S83	0	10/6429167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:02
S84	2	"5911145".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 13:59
S85	0	(2003/0014440).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 13:59

EAST Search History

S86	2	("20030014440").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 14:00
S87	3	"10335191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:02
S88	4	"10/335191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S89	0	"10/20810"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S90	1	"10/208210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:06
S91	151	"software component architecture"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:11
S92	1	S91 and ((reusable near component) same (visual near representation) same (program\$5 near interface) with (data near binding near interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:12
S93	7	S91 and(reusable near component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:12

EAST Search History

S94	151	"software component architecture"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:14
S95	2	"6581062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:17
S96	2	"6947954".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:17
S97	2	"6934712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:18
S98	2	"7096224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 14:18
S99	460	"application development system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 15:41
S10 0	19	S99 and reusable adj component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 16:15
S10 1	15	((visual graphic\$5) near (representation interface)) with ((program\$5 with interface) api) with ((data near binding) binding) near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 16:21

EAST Search History

S10 2	2	"5019961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 16:23
S10 3	2	"5295222".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 16:23
S10 4	73	("4455619" "4558413" "4734854" "4809170" "4833604" "4862345" "4866638" "4888690" "4893232" "4894771" "4930071" "4939689" "4956773" "5084813" "5202996").PN. OR ("5295222"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/21 07:58
S10 5	11	snap near template	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/21 07:59
S10 6	39	(US-20020073397-\$ or US-20050065951-\$ or US-20030014440-\$ or US-20020095650-\$ or US-20060230124-\$ or US-20030100972-\$ or US-20060184926-\$ or US-20050193229-\$ or US-20040044987-\$ or US-20030069908-\$).did. or (US-7003777-\$ or US-6957417-\$ or US-6694482-\$ or US-5398336-\$ or US-6053947-\$ or US-5911145-\$ or US-7117480-\$ or US-7114128-\$ or US-6931621-\$ or US-6865591-\$ or US-6460058-\$ or US-6990513-\$ or US-6854107-\$ or US-6587736-\$ or US-6442749-\$ or US-6212575-\$ or US-6006264-\$ or US-6226692-\$ or US-5457797-\$ or US-6230309-\$ or US-6732331-\$ or US-6360223-\$ or US-6581062-\$ or US-6947954-\$ or US-6934712-\$ or US-7096224-\$). did. or (US-5019961-\$ or US-5864862-\$).did. or (US-6263498-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:35
S10 7	10	"39" and (cache near (events and mappings))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:36

EAST Search History

S10 8	0	S106 and (cache near (events and mappings))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:23
S10 9	24	(cache near (events and mappings))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:37
S11 0	0	(cache near ((event near subscription) and (context near mappings)))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:53
S11 1	0	(cache near ((event near subscription) and (context near mapping)))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:38
S11 2	2	(cache same ((event near subscription) and (context near mapping)))	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:38
S11 3	20	cache same (event near subscription)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:53
S11 4	2	"6917976".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:50
S11 5	1016925	S114 and cache event mapping	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:50
S11 6	1	S114 and (cache event mapping)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:34
S11 7	1	cache near (context near mappings)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:53
S11 8	38	cache near (data near mappings)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:55
S11 9	0	cache near ((data near mappings) with instantiate)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:55
S12 0	0	cache near ((data near mappings) with instantiat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:55
S12 1	0	cache near ((data near mappings) same instantiat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 07:56
S12 2	10	S106 and cache	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:23

EAST Search History

S12 3	1	(recieve near event and cache)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:35
S12 4	7	(recieve same event and cache)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:35
S12 5	20	S113 and cache	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:56
S12 6	272	"cache event "	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:56
S12 7	0	"cache event subscription"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:57
S12 8	2	"cache event subscription"	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:57
S13 0	272	"cache event" samesubscription	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:57
S13 1	15	"cache event" same subscription	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/22 08:57
S13 2	2	"6230309".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 11:25
S13 3	3	("7117480").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 11:25
S13 4	2	"cache event" near subscription	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/26 09:11